

## PATENT APPLICATION

# IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re	Application of:	)	# 9 Uto town
m to Application of		:	Examiner: Susan S.Y. Lee
SHIGEO MIYABE, ET AL.		) -	
		:	Group Art Unit: 2852
Appln. No.: 10/023,875		)	non 7.1 00 0000 0000
		;	RCE: July 22, 2003, 2003
Filed: December 21, 2001		)	Confirmation No. 4637
	DEVELOPING DI ADE BROCECC	•	
For:	DEVELOPING BLADE, PROCESS, CARTRIDGE, AND ELECTRO-	•	July 22, 2003, 2003
	PHOTOGRAPHIC IMAGE FORMING	;	July 22, 2003, 2003   ECHIPOLOGY   REC
	APPARATUS	:	og:
Commissioner for Patents			RECEIVED JUL 29 2003 JLOGY CENTER
Mail Stop RCE			
Post Office Box 1450			2800
Alexandria, VA 22313-1450			., ĕ

## Request for Approval of Drawing Changes

Sir:

Please amend the drawings as follows, as shown in red on the attached photocopies so that reference characters shown in the drawings, but not discussed in the specification are deleted and so that reference numeral 13e, used in Figure 7 to denote a dowel, is changed in Figures 20 and 21 to "13x" because in Figures 20 and 21 it denotes a supporting hole:

## **IN FIGURE 7:**

Delete reference characters "20b", "20c", and "20d" and the lead lines therefrom.

## **IN FIGURE 16:**

Delete reference characters "20b", "20c", and "20d" and the lead lines therefrom.

## **IN FIGURE 20:**

Change reference characters "13e" to --13x--.

#### IN FIGURE 21:

Change reference characters "13e" to --13x--.

#### IN FIGURE 33:

Delete reference numerals "82", "83", "85", "86", "87", and "89" and the lead lines therefrom.

#### IN FIGURE 34:


Delete reference characters "19e1", "19e2", and "19e3" and the lead lines therefrom.


#### IN FIGURE 42:

Delete reference characters "72c" and "72d".

#### IN FIGURE 46:

Delete reference characters "15(L)".






13/42



17/42



•



FIG. 21









FIG. 33













40/42

